

Your (**Half Yearly Compliance Report**) has been **Submitted** with following details

Proposal No	IA/KA/IND2/238828/2021
Compliance ID	1234494003
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1234494003/2026
Reporting Year	2026
Reporting Period	01 Jun(01 Oct - 31 Mar)
Submission Date	08-07-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru

Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.

Six Monthly Compliance Report June 2026

M/s.MSRT Industries Private Limited.

Lakhanayakankoppa Village, Taluka Ramdurg, Dist: Belagavi, Karnataka

Submitted To

The Regional Office
Kendriya Sadan, IVth Floor, E&F Wings,
17th Main Road, IIInd Block, Koramangala,
Bengaluru - 560 034.

Ref. No. MSRT/EC/CCR/2026-27

Date:07.07.2026

To,
The Regional Office,
Kendriya Sadan, 4th Floor, E&F Wings,
17th Main Road, IInd Block, Koramangala,
Bengaluru - 560 034.

Dear Sir,

Sub:Submission of six monthly compliance report for Industry – Grain based distillery (60 KLPD Ethanol Plant) at Village: Lakanayakanakoppa, Taluka: Ramdurg, District: Belagavi, Karnataka or January to June 2026.

We are herewith submitting compliance report as per the condition mentioned in the Environmental Clearance Letter No. IA-J-11011/478/2021-IA-II(I) and File No. EC22A060KA115581 dated 18/01/2022. Submitting compliance report as given below,

Particulars	Description
1. Name of the Project	60 KLPD Grain Based Distillery Unit of M/s. MSRT Industries Private Limited, Village: Lakanayakanakoppa, Taluka: Ramdurg, District: Belagavi, State: Karnataka By M/s.MSRT Industries Private Limited
2. Project Proponent	M/s.MSRT Industries Private Limited
3. Contact details of the nodal officer	M/s.MSRT Industries Private Limited. Village: Lakanayakanakoppa, Taluka: Ramdurg, District: Belagavi, State: Karnataka PIN:587122 Email: msrt141020@gmail.com
4. Current status of the project	Completed
5. Project Information sheet	Enclosure-I
6. Compliance conditions in the Environmental Clearance Letter No IA-J-11011/478/2021-IA-II(I) and File No. EC22A060KA115581, Dated.18/01/2022	Enclosure-II

We hope the above information is in line with your requirement.

Thanking You
Yours faithfully,

M/s. MSRT Industries Private limited



Authorised Signatory



PROJECT INFORMATION SHEET

1.	Project Type: River-valley / Mining / Industry / Thermal / Nuclear / Other (Specify)	Industry – Grain Based Distillery (60 KLPD Ethanol Plant)
2.	Name of the Project	60 KLPD Grain Based Distillery Unit of M/s. Village: Lakhanayakankoppa, Taluka: Ramdurg, District: Belagavi, State: Karnataka
3.	Clearance Letterer (S) /OM No. and date	Environmental Clearance granted by MoEF&CC vide letter No. EC22A060KA115581 dated 18/01/2022 for establishment of 60 KLPD Grain Based Distillery unit.
4.	Location	Lakhanayakankoppa Village, Taluka Ramdurg
	a. District (s)	Belagavi
	b. State (s)	Karnataka
	c. Latitude	15°52'45.40"N
	d. Longitude	75°20'26.86"E
5.	Address for Correspondence	M/s.MSRT Industries Private Limited. Village: Lakhanayakankoppa Taluka: Ramdurg District: Belagavi – Karnataka PIN: 587122 Email: ak.pateshwary@gov.in
6.	Salient Features	
	a. Of the Project	Expansion of Existing 60 KLPD Grain-Based Distillery to 300 KLPD Multi-Feed (Grain/Molasses/B-Heavy) Based Distillery
	b. Of the Environmental Management Plan	Environment Management plan includes: • ESP with stack height of 60m for 77 TPH boiler • Water Environment (STP, Recycle & Reuse). • CPU unit for treatment of Effluent & MEE followed by dryer. • Measures to avoid noise pollution (Use of PPE, maintenance of machinery providing acoustic enclosure) • Solid waste management (Segregation at source, organic waste-composting, inorganic waste-recycle/reuse/ resource recovery & proper disposal). • Rain water harvesting plan • Energy conservation plan (use of natural resources& non-conventional energy sources). • Risk assessment & Disaster management plan • Firefighting system • CER Activities

		Occupational health & safety
7.	Breakup of the Project area	
	a. Total Plot Area	Total plot area :141619.29 Sq.m Total Built Up area: 30755.52 Sq.m
	b. Submergence Area; Forest & Non-Forest	NA
8.	Break up the Project affected population with the enumeration of those losing Houses/Dwelling units only, Agricultural Land & Landless Laborers /Artisans:	Project land is owned by project proponent. So no population is affected.
	a. SC,ST / Adivasi	N.A.
	b. Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details & year of survey)	N.A.
9.	Financial Details: Project cost as originally planned and subsequent revised estimates and the year of price reference	Total Project Cost: 80.87 Cr
a.	Allocation made for environment management plan	Environment management plan: Capital cost ₹ 19.962 Cr.; Recurring cost ₹1.585 Cr. CER: ₹ 1.662 Cr.
b.	Payback Period	
c.	Whether (c) includes the cost of environmental management as shown in the above	Yes
d.	Actual expenditure incurred on the project so far.	84.57 Cr
e.	Actual expenditure incurred on the environmental management plans so far	2.165 Cr
10.	Forest land requirement.:	
	a) The status of approval for diversion of forest land for non-forestry use	NA
	b) The status of clearing felling	NA
	c. The status of compensatory afforestation, if any comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	NA
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	NA

12.	Status of construction (Actual & / or Planned)	Completed
a.	Date of commencement (Actual & / or Planned)	13/09/2022
b.	Date of completion (Actual & / or Planned)	27/07/2025
13.	Reasons for the delay if the project is yet to start	NA
14.	Dates of the site visits– The dates on which the project was monitored by the Regional Office on previous occasions, if any	NA
a.	Details of correspondence with project authorities for obtaining action plan/information on status of compliance to safeguards other than the routine letters for logistics support for site visit (the monitoring report may obtain the details of all letters issued so far but the later reports may cover only the letters issued subsequently.	

Post EC Compliance conditions

A. Specific Condition

S. No.	EC Conditions	Compliance
i.	As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 60 KLPD shall be only used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently, if it is found that the ethanol produced based on the EC granted as per this dispensation is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Noted, Industry has taken CTO from concerned SPCB for Ethanol Planation only.
ii.	As per Ministry's OM No. 22-76/2014-IA-III dated 07th October, 2014, EC shall become invalid in case the actual land for the project site turns out to be different from the land proposed, or if the proposed land is not under possession of the Industry.	Noted, the project site is as per the land details submitted and approved under the Environmental Clearance. The land is under the possession of M/s. MSRT Industries Private Limited.
iii.	The Company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA / EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented.	Noted, The company is complying with all environmental protection measures and safeguards committed in the documents submitted to the Ministry.
iv.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	The total quantity of effluent generated from the facility is treated in the existing Effluent Treatment Plant (ETP) having a treatment capacity of 300 CMD. The treated effluent is entirely reused within the factory premises for process and utility applications. No untreated or treated effluent is discharged outside the factory premises.
v.	Total fresh water requirement shall not exceed @4.0 KL/KL of ethanol and will be met from Malaprabha River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the	Fresh water consumption is maintained within the stipulated limit i.e., @4.0 KL/KL of ethanol and sourced from the Malaprabha River as per the permission obtained from the Irrigation Department. No groundwater extraction or recharge is carried out within the premises. A 60-day capacity water storage pond has been constructed to reduce

S. No.	EC Conditions	Compliance
	accumulated water to be used as fresh water thereby reducing fresh water consumption.	fresh water consumption.
vi.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall use coal only as initiating fuel. For further operation biomass shall be used. ESP shall be installed with the boiler. At least 10% of the total power requirement shall be met from renewable energy source.	Spent wash is processed into DDGS and sold as cattle feed. Fly ash is being sold to brick manufacturing industry. Coal is used only for boiler start-up, while briquettes are used as the primary fuel. An ESP is installed with the boiler for emission control. Solar system is installed to meet at least 10% of the plant's power requirement from renewable energy sources.
vii.	CO ₂ bottling plant shall be installed.	We are in the process of installation of CO ₂ Bottling plant.
viii.	PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	An Occupational Health Centre (OHC) has been provided within the factory premises. Necessary PPEs are provided to all workers, and annual health check-ups are conducted regularly for employees.
ix.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Regular training on safety, health aspects of chemical handling, and safety awareness is provided to all employees. Half-yearly mock drills are conducted regularly.
x.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process and material handling. Firefighting system shall be as per the norms.	Adequate fire protection measures have been provided within the factory premises to prevent and control possible fire hazards during manufacturing and material handling activities. The firefighting system has been installed as per applicable norms, including necessary firefighting equipment and safety arrangements.
xi.	Process organic residue and spent carbon, if any, shall be sent to cement and other suitable industries for its incineration. ETP sludge, process inorganic & evaporation salt shall be disposed to the TSDF.	There is no generation of Process organic residue and spent carbon. There is only generation of ETP sludge from the plant which is further used as manure within factory premises.
xii.	The company shall undertake waste minimization measures as below: (a) Metering and control of quantities of active ingredients to minimize waste;	Metering and control systems are provided for accurate dosing of active ingredients to minimize waste generation. DDGS is being produced as by-product from

S. No.	EC Conditions	Compliance
	(b) Reuse of by-products from the process as raw materials or raw material substitutes in other processes; (c) Use of automated filling to minimize spillage; (d) Use of close-feed system into batch reactors; (e) Venting equipment through vapour recovery system; (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	Spent wash and sold as cattle feed. Automated filling systems are implemented to minimize spillage during material transfer. Closed-feed systems are provided for charging of materials into batch reactors to prevent losses and emissions. Suitable vapor recovery arrangements are provided for venting of process equipment, wherever applicable. High-pressure hoses are used for equipment cleaning to reduce wastewater generation.
xiii.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Industry has developed 33% of green Belt area i.e., 25000 Sq. M. of total Plot Area i.e., 75000 Sq. m.
xiv.	PP proposed to allocate Rs. 2.0 Crores towards CER and shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project	Industry has distributed Books and other school Supplements to students in government school.
xv.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.	Industry has developed 11250 Sq. M. of parking Area for the vehicles within premises. Which is 15% of total plot area.
xvi.	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Raw materials are being stored in proper raw material shed with proper covering by tarpaulins to avoid dust.
xvii.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web	The industry has installed a Continuous Online Monitoring System (24x7) for stack emissions and effluent quality, which is connected to the CPCB and SPCB servers.

S. No.	EC Conditions	Compliance
	camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	
xviii.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	We have separate Environment Management Cell to carry out Environment Management and Monitoring Functions.

General Conditions

S. No.	EC Conditions	
i.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and Agreed.
ii.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED lights are being used for lightening purpose.
iii.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Overall Noise levels in and around the Plant are within the permissible limit.

iv.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Noted and Agreed.
v.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Noted and Agreed.
vi.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.	Agreed and we have submitted the EC letter to the respective departments.
vii.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by email) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed
viii.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the	We will submit the upcoming form-V for the year 2025-2026 before 30 th Sept. 2026.

	website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	
ix.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Agreed and informed in two local newspapers.
x.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	We have obtained Consent to Operate from concerned SPCB on dated 19/03/2025.
xi.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted and Agreed.

Additional EC Conditions

N/A

ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The CMD

MSRT INDUSTRIES PRIVATE LIMITED

MSRT INDUSTRIES Pvt. Ltd., Behind APMC, Lokapur, Tq: Mudhol, Dist:
Bagalkot, Karnataka 587122,,Bagalkot,Karnataka-587122

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the Ministry vide proposal number
IA/KA/IND2/238828/2021 dated 30 Nov 2021. The particulars of the environmental
clearance granted to the project are as below.

1. EC Identification No.	EC22A060KA115581
2. File No.	IA-J-11011/478/2021-IA-II(I)
3. Project Type	New
4. Category	A
5. Project/Activity including Schedule No.	5g(a)-Grain Based distilleries for Ethanol Blended Petrol
6. Name of Project	Proposed 60 KLPD Grain based Distillery/ Ethanol Plant Project (for fuel ethanol) At Lakhanayakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka by MSRT Industries Pvt. Ltd
7. Name of Company/Organization	MSRT INDUSTRIES PRIVATE LIMITED
8. Location of Project	Karnataka
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 18/01/2022

(e-signed)
A.K Pateshwary
Director

IA - (Industrial Projects - 2 sector)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



This has reference to your online proposal no. IA/KA/IND2/238828/2021, dated 30th November, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the Proposed 60 KLPD Grain based Distillery (for fuel ethanol) by M/s. MSRT Industries Pvt. Ltd. located at Lakhanayakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka.

3. As per the MoEF&CC Notification S.O. 2339(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

4. Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 16th June, 2021. It was informed that no litigation is pending against the project.

5. The details of products and capacity are as under: -

Sr. No.	Particulates	Capacity
Products		
1.	Ethanol	60 KLPD
2.	Captive power plant	2.0 MW
By Products		
3.	DDGS	40 TPD
4.	CO ₂	45 TPD

6. The land area available for the project is 75000 m². Industry will develop greenbelt in an area of 33.33 % i.e., 25000 m² out of total area of the project. The estimated project cost is Rs 80.87 Cr. Total capital cost earmarked towards environmental pollution control measures is Rs. 2.9 Cr. and the recurring cost (operation and maintenance) will be about Rs. 29 lakhs per annum. Total employment will be 190 persons as direct & indirect. Industry proposes to allocate Rs. 1.7 Cr. @ 2.0% of Total Project Cost (Rs. 80.87 Cr.) towards Corporate Environment Responsibility.

7. There are No national parks, wildlife sanctuaries, Biosphere Reserves, Tiger / Elephant Reserves, Wildlife Corridors etc., within 10 km distance from the project site, However, Reserved Forest is at 500 m in North Direction. River Malaprabha is flowing at a distance of 6.6 km in NE direction.

8. AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.083 µg/m³, 0.055

$\mu\text{g}/\text{m}^3$, $6.49 \mu\text{g}/\text{m}^3$ and $5.42 \mu\text{g}/\text{m}^3$ with respect to PM_{10} , $\text{PM}_{2.5}$, SO_2 and NO_x . The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

9. Total water requirement is $682 \text{ m}^3/\text{day}$ of which fresh water requirement of $442 \text{ m}^3/\text{day}$ will be met from Malaprabha River. Distillery effluent of $252 \text{ m}^3/\text{day}$ * quantity will be treated through $300 \text{ m}^3/\text{day}$ condensate treatment plant. The plant will be based on Zero Liquid Discharge (ZLD) system. ($215 \text{ m}^3/\text{day}$ *the raw stillage generated will be sent to decanter followed by MEE followed by dryer).

10. Power requirement will be 2.0 MW and will be met from own captive power generation (22 TPH boiler which will run T.G set of 2.0 MW capacity). Proposed unit will have 500 kVA x 1 No. DG sets will be used only as standby during power failures. Stack height >11 m will be provided as per CPCB norms to the proposed DG sets. Proposed 22 TPH boiler will be installed with 2.0 MW captive power generation for proposed Distillery. Electrostatic precipitator with 45 m stack will be installed for proposed boiler for controlling of particulate emission within statutory limit of $115 \text{ mg}/\text{Nm}^3$ for the proposed boiler.

11. Details of process emissions generation and its management:

Project Activity	Anticipated pollutant	Management
Process emissions	CO_2 and Negligible VOCs	CO_2 shall not be release in the air. CO_2 will be scrubbed for Bottling.
Stack, Fugitive emissions, material handling.	PM_{10} , $\text{PM}_{2.5}$, NO_x , SO_2 , CO_2	Distillery unit: Electrostatic precipitator with 45 m stack

12. Details of Solid waste/Hazardous waste generation and its management:

Sr. No.	Type of waste	Quantity	Final Disposal
1.	DDGS	40 TPD	DDGS is the by-product and will be sold to cattle/poultry feed.
2.	Coal Ash	14 TPD	Coal ash will be sold to brick manufacturers.
3.	CPU Sludge	0.6 TPD	CPU sludge will be used as manure
4.	Spent oil (5.1)	0.5 KL/Annum	Quantity of Spent oil will be negligible and shall be sent to authorized recycler

13. As per OM dated 16th June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity of 60 KLPD will be for manufacturing of fuel ethanol only.

14. During deliberations EAC sought the following information /commitments from PP:

- 33% of the total project area shall be developed with greenbelt within the plant premises including 5-10 m width greenbelt peripherally.
- 15% of the total plant area will be reserved for parking.
- CO₂ bottling plant shall be installed.
- Brick manufacturing unit will be installed within the plant premises for utilization of fly ash.
- PP shall meet 10% of the total power requirement from renewable energy source.
- PP shall use coal only as initiating fuel. For further operation biomass shall be used.
- PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety.
- PP shall utilize fresh water @4.0 KL/KL of ethanol production.
- Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- Entire project shall be ZLD and no single drop of water shall be discharged outside plant premises.
- PP shall install ESP with the boiler.
- The proposed budget allocation of Rs. 2.0 Crores towards CER and shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project.

PP has submitted the desired information as sought above.

15. The proposal was considered by the EAC in its 46th meeting held on 13th-14th December, 2021 in the Ministry, wherein the project proponent and their consultant M/s. MITCON Consultancy & Engineering Services Ltd., presented the case under B2 category. The Committee **recommended** the project for grant of environmental clearance.

16. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

17. The Committee noted that the EMP report is in compliance of the PFR. The

Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

18. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

19. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Proposed 60 KLPD Grain based Distillery (for fuel ethanol) by M/s. MSRT Industries Pvt. Ltd. located at Lakhanyakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 60 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). As per Ministry's OM No 22-76/2014-IA-III dated 07th October, 2014 EC shall become invalid in case the actual land for the project site turns out to be different from the land proposed or the proposed land is not under possession of the Industry.
- (iii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

- (iv). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (v). Total Fresh water requirement shall not exceed @4.0 KL/KL and will be met from Malaprabha River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- (vi). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall use coal only as initiating fuel. For further operation biomass shall be used. ESP shall be installed with the boiler. At least 10% of the total power requirement shall be met from renewable energy source.
- (vii). CO₂ bottling plant shall be installed.
- (viii). PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (ix). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (x). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- (xi). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment cleaning to reduce wastewater generation.

- (xiii). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xiv). PP proposed to allocate Rs. 2.0 Crores towards CER and shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project.
- (xv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.
- (xvi). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xvii). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xviii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be

seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

20. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

21. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

22. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

23. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

24. This issues with the approval of the competent authority.

(Ashok Kr. Pateshwary)
Director

Copy to: -

1. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore - 1
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kendriya Sadan, 4th Floor, E&F Wings, 17th Main


- Road, Koramangala II Block, Bangalore - 34
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 32
 4. The Member Secretary, Karnataka State Pollution Control Board, Parisara Bhavan, #49, 4th & 5th Floor, Church Street, Bangalore -1
 5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
 6. The District Collector, District Belgavi, Karnataka
 7. Guard File/Monitoring File/Parivesh portal/Record File

(Ashok Kr. Pateshwary)

Director

E-mail: ak.pateshwary@gov.in

Tel. No. 24695290



Signature Not Verified

Digitally signed by A.K Pateshwary
Director
Date: 1/18/2022 11:49:54 AM

ENVIRONMENTAL
CLEARANCE

Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The CMD

MSRT INDUSTRIES PRIVATE LIMITED

MSRT INDUSTRIES Pvt. Ltd., Behind APMC, Lokapur, Tq: Mudhol, Dist: Bagalkot, Karnataka 587122,,Bagalkot,Karnataka-587122

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/KA/IND2/238828/2021 dated 30 Nov 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC22A060KA115581
2. File No.	IA-J-11011/478/2021-IA-II(I)
3. Project Type	New
4. Category	A
5. Project/Activity including Schedule No.	5g(a)-Grain Based distilleries for Ethanol Blended Petrol
6. Name of Project	Proposed 60 KLPD Grain based Distillery/ Ethanol Plant Project (for fuel ethanol) At Lakhanayakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka by MSRT Industries Pvt. Ltd
7. Name of Company/Organization	MSRT INDUSTRIES PRIVATE LIMITED
8. Location of Project	Karnataka
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 18/01/2022

(e-signed)
A.K Pateshwary
 Director

IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



This has reference to your online proposal no. IA/KA/IND2/238828/2021, dated 30th November, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the Proposed 60 KLPD Grain based Distillery (for fuel ethanol) by M/s. MSRT Industries Pvt. Ltd. located at Lakhanayakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka.

3. As per the MoEF&CC Notification S.O. 2339(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

4. Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 16th June, 2021. It was informed that no litigation is pending against the project.

5. The details of products and capacity are as under: -

Sr. No.	Particulates	Capacity
Products		
1.	Ethanol	60 KLPD
2.	Captive power plant	2.0 MW
By Products		
3.	DDGS	40 TPD
4.	CO ₂	45 TPD

6. The land area available for the project is 75000 m². Industry will develop greenbelt in an area of 33.33 % i.e., 25000 m² out of total area of the project. The estimated project cost is Rs 80.87 Cr. Total capital cost earmarked towards environmental pollution control measures is Rs. 2.9 Cr. and the recurring cost (operation and maintenance) will be about Rs. 29 lakhs per annum. Total employment will be 190 persons as direct & indirect. Industry proposes to allocate Rs. 1.7 Cr. @ 2.0% of Total Project Cost (Rs. 80.87 Cr.) towards Corporate Environment Responsibility.

7. There are No national parks, wildlife sanctuaries, Biosphere Reserves, Tiger / Elephant Reserves, Wildlife Corridors etc., within 10 km distance from the project site, However, Reserved Forest is at 500 m in North Direction. River Malaprabha is flowing at a distance of 6.6 km in NE direction.

8. AAQ modeling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.083 µg/m³, 0.055

$\mu\text{g}/\text{m}^3$, $6.49 \mu\text{g}/\text{m}^3$ and $5.42 \mu\text{g}/\text{m}^3$ with respect to PM_{10} , $\text{PM}_{2.5}$, SO_2 and NO_x . The resultant concentrations are within the National Ambient Air Quality Standards (NAAQS).

9. Total water requirement is $682 \text{ m}^3/\text{day}$ of which fresh water requirement of $442 \text{ m}^3/\text{day}$ will be met from Malaprabha River. Distillery effluent of $252 \text{ m}^3/\text{day}$ * quantity will be treated through $300 \text{ m}^3/\text{day}$ condensate treatment plant. The plant will be based on Zero Liquid Discharge (ZLD) system. ($215 \text{ m}^3/\text{day}$ *the raw stillage generated will be sent to decanter followed by MEE followed by dryer).

10. Power requirement will be 2.0 MW and will be met from own captive power generation (22 TPH boiler which will run T.G set of 2.0 MW capacity). Proposed unit will have 500 kVA x 1 No. DG sets will be used only as standby during power failures. Stack height >11 m will be provided as per CPCB norms to the proposed DG sets. Proposed 22 TPH boiler will be installed with 2.0 MW captive power generation for proposed Distillery. Electrostatic precipitator with 45 m stack will be installed for proposed boiler for controlling of particulate emission within statutory limit of $115 \text{ mg}/\text{Nm}^3$ for the proposed boiler.

11. Details of process emissions generation and its management:

Project Activity	Anticipated pollutant	Management
Process emissions	CO_2 and Negligible VOCs	CO_2 shall not be release in the air. CO_2 will be scrubbed for Bottling.
Stack, Fugitive emissions, material handling.	PM_{10} , $\text{PM}_{2.5}$, NO_x , SO_2 , CO_2	Distillery unit: Electrostatic precipitator with 45 m stack

12. Details of Solid waste/Hazardous waste generation and its management:

Sr. No.	Type of waste	Quantity	Final Disposal
1.	DDGS	40 TPD	DDGS is the by-product and will be sold to cattle/poultry feed.
2.	Coal Ash	14 TPD	Coal ash will be sold to brick manufacturers.
3.	CPU Sludge	0.6 TPD	CPU sludge will be used as manure
4.	Spent oil (5.1)	0.5 KL/Annum	Quantity of Spent oil will be negligible and shall be sent to authorized recycler

13. As per OM dated 16th June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity of 60 KLPD will be for manufacturing of fuel ethanol only.

14. During deliberations EAC sought the following information /commitments from PP:

- 33% of the total project area shall be developed with greenbelt within the plant premises including 5-10 m width greenbelt peripherally.
- 15% of the total plant area will be reserved for parking.
- CO₂ bottling plant shall be installed.
- Brick manufacturing unit will be installed within the plant premises for utilization of fly ash.
- PP shall meet 10% of the total power requirement from renewable energy source.
- PP shall use coal only as initiating fuel. For further operation biomass shall be used.
- PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety.
- PP shall utilize fresh water @4.0 KL/KL of ethanol production.
- Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- Entire project shall be ZLD and no single drop of water shall be discharged outside plant premises.
- PP shall install ESP with the boiler.
- The proposed budget allocation of Rs. 2.0 Crores towards CER and shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project.

PP has submitted the desired information as sought above.

15. The proposal was considered by the EAC in its 46th meeting held on 13th-14th December, 2021 in the Ministry, wherein the project proponent and their consultant M/s. MITCON Consultancy & Engineering Services Ltd., presented the case under B2 category. The Committee **recommended** the project for grant of environmental clearance.

16. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

17. The Committee noted that the EMP report is in compliance of the PFR. The

Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

18. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

19. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Proposed 60 KLPD Grain based Distillery (for fuel ethanol) by M/s. MSRT Industries Pvt. Ltd. located at Lakhanyakankoppa Village, Taluka Ramdurg, District Belgavi, Karnataka**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 60 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). As per Ministry's OM No 22-76/2014-IA-III dated 07th October, 2014 EC shall become invalid in case the actual land for the project site turns out to be different from the land proposed or the proposed land is not under possession of the Industry.
- (iii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

- (iv). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (v). Total Fresh water requirement shall not exceed @4.0 KL/KL and will be met from Malaprabha River. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- (vi). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall use coal only as initiating fuel. For further operation biomass shall be used. ESP shall be installed with the boiler. At least 10% of the total power requirement shall be met from renewable energy source.
- (vii). CO₂ bottling plant shall be installed.
- (viii). PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (ix). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (x). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- (xi). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment cleaning to reduce wastewater generation.

- (xiii). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xiv). PP proposed to allocate Rs. 2.0 Crores towards CER and shall be used for construction/up-gradation of school building with provision of facilities e.g. Class rooms, playground, Laboratory, Library, Computer class, toilets, Drinking Water Facilities, solar light etc. Further, the works under CER Plan shall be implemented in consultation with District Collector before commissioning of the project.
- (xv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. Out of the total project area, 15% shall be allotted solely for parking purposes.
- (xvi). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xvii). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xviii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be

seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

20. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

21. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

22. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

23. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

24. This issues with the approval of the competent authority.

(Ashok Kr. Pateshwary)
Director

Copy to: -

1. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore - 1
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kendriya Sadan, 4th Floor, E&F Wings, 17th Main


- Road, Koramangala II Block, Bangalore - 34
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex East Arjun Nagar, Delhi - 32
 4. The Member Secretary, Karnataka State Pollution Control Board, Parisara Bhavan, #49, 4th & 5th Floor, Church Street, Bangalore -1
 5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
 6. The District Collector, District Belgavi, Karnataka
 7. Guard File/Monitoring File/Parivesh portal/Record File

(Ashok Kr. Pateshwary)

Director

E-mail: ak.pateshwary@gov.in

Tel. No. 24695290



Signature Not Verified

Digitally signed by A.K Pateshwary
Director
Date: 1/18/2022 11:49:54 AM

NOT APPLICABLE



FILE – CONSENT FOR ESTABLISH

**Consent For Establishment (CFEs)****Consent No. CTE-333237 Valid upto: 17/01/2032**

Karnataka State Pollution Control Board
 Parisara Bhavana, No.49, Church
 Street, Bengaluru-560001
 Tele : 080-25589112/3, 25581383
 Fax: 080-25586321
 email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

Consent Order No. CTE-333237**PCB ID:**132243 **Date.** 13/09/2022

To,

The Applicant

MSRT Industries Private Limited

As above

Sir,

Sub: Consent to Establish under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981-reg.,

Ref: 1. CFE application submitted by the industry/organization on 14/06/2022 at Regional Office

2. Inspection of the project site by Regional Officer Belgaum on 18/06/2022

3. Proceedings of the ECM dated 25/07/2022, held on 18/07/2022

With reference to the above, Karnataka State Pollution Control Board hereby accords **Consent for Establishment** for new Activity under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the following terms & conditions.

Location:

Name of the Applicant:

MSRT Industries Private Limited

Address:

Sy. No. 36/7 (read as 36/8), 139/1, 139/2, 139/3, 139/4, 139/5, 134/1, 134/2 & 134/3, Lakhanyakankoppa Village, Taluka Ramdurg, District Belagavi

Industrial Area:

Not In I.A., Lakhanyakankoppa,

Taluk:

Ramdurga, District: Belgaum

Conditions:

1. This consent for establishment is valid up to 17/01/2032 from the date of issue.
2. The applicant shall not undertake expansion/diversification without the prior consent of the Board.
3. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.
4. This consent is granted considering the following activities:

Sr	Product Name	Applied Qty	Unit
1	co2 (by product)	1350.0000	Metric Tonnes/month
2	ddgs (by product)	1200.0000	Metric Tonnes/month
3	ethanol (fuel ethanol only)	60.0000	Kilo Litres/Day
4	power (captive)	2.0000	Mega Watt

I. WATER CONSUMPTION:

1. The source of water shall be from River and total water consumption shall be as below.

Particulars	Water consumption(KLD)
Boiler Feed	50.0
Cooling Water	40.0
Domestic Purpose	5.0
Manufacturing Processes	150.0
Others	5.0

**Consent For Establishment (CFEs)****Consent No. CTE-333237 Valid upto: 17/01/2032**

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

II. WATER POLLUTION CONTROL:

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act or Rules made there under.
2. The applicant shall treat the domestic wastewater from the factory in septic tank with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be designed as per IS 2470 Part - I and Part - II
3. The applicant shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.
4. The quantity of domestic waste water and trade effluent generated from the proposed industry shall not exceed the permitted quantity as indicated below

Discharge of effluents under the Water Act:

Sl. No.	Description	Permitted Quantity of discharge in KLD	Mode/Place of disposal
1	Boiler Feed	25.000	The boiler blow down shall be treated in Condensate Polishing Unit (CPU) and recycled back to process
3	Cooling Water	28.000	The cooling tower blow down shall be treated in Condensate Polishing Unit (CPU) and recycled back to process
5	Domestic Purpose	4.000	Sewage shall be treated in STP and used for gardening purpose
4	Manufacturing Processes	205.000	The effluent shall be treated in CPU of 300 KLD capacity followed by RO and the treated effluent shall be reused back to process. The RO reject of about 12 KLD shall be dried in MEE / drier to achieve ZLD
2	Others	5.000	The CO2 scrubber liquid shall be treated in Condensate Polishing Unit (CPU) and recycled back to process

5. The applicant shall treat the trade effluent in proposed ETP which consists of the following:

STP & ETP details

SINo	ETP/STP NO	ETP Code	Category Name	Capacity (Meter Cubic)	Units	Remarks
1	STP1	BS-	Bar Screen	0.50	1	
2	ETP1	CLA	P-Clarifier	9.50	1	
3	ETP1	COL	P-Collection Tank	80.00	1	Treated Water Tank
4	ETP1	COL	P-Collection Tank	40.00	1	Soft water tank / Intermediate storage tank
5	STP1	COL	P-Collection Tank	10.00	1	Treated water collection tank
6	ETP1	COL	P-Collection Tank	1400.00	1	Anaerobic Filter Tank
7	STP1	EQU	P-Equalization Tank	8.00	1	
8	ETP1	EQU	P-Equalization Tank	320.00	1	
9	ETP1	HOL	P-HOLDING TANK	40.00	1	Intermediate Storage Tank
10	STP1	HOL	P-HOLDING TANK	4.00	1	Filter Feed Tank
11	ETP1	NUE	P-Nuetralization	10.00	1	
12	STP1	AER	S-AERATION TANK	7.00	1	MBBRAeration tank

**Consent For Establishment (CFEs)****Consent No. CTE-333237 Valid upto: 17/01/2032**

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

13	ETP1	AER	S-AERATION TANK	1680.00	1	
14	STP1	SET	S-SETTLING TANK	5.00	1	Sludge holding tank
15	ETP1	SDB	S-Sludge Dry Beds	10.00	3	
16	STP1	SHT	S-SLUDGE HOLDING TANK	5.00	1	Sludge holding tank -
17	ETP1	CFL	T-CARBON FILTER	6.00	1	6 m3/hr
18	STP1	CFL	T-CARBON FILTER	1.00	1	0.68 m3/hr
19	ETP1	ROP	T-R.O Plant	20.00	1	RO Plant of suitable capacity
20	ETP1	SFL	T-SAND FILTER	6.00	1	
21	STP1	SFL	T-SAND FILTER	1.00	1	0.68 m3/hr

- The applicant shall ensure that the ETP will treat the effluent to the stipulated standards as indicated in Annexure-I
- The applicant shall not discharge any effluent outside the industry premises.
- The applicant shall provide separate flow meter for inflow & outflow of effluents through ETP and separate energy meter and shall maintain a logbook for hourly record of meter reading for the verification of inspecting officers
- The applicant shall discharge the effluents only to the place mentioned in the Consent order.

III. AIR POLLUTION CONTROL:

- The Source of emission, Stack height & Air Pollution Control (APC) measures shall be as specified in ANNEXURE-II.
- The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
- The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

IV. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

V. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

- The applicant shall collect, treat and dispose off all solid waste generated from the process other than wastes covered under the Hazardous and other Wastes (Management & Transboundary Movement) Rules 2016, in such manner so as not to cause environmental pollution.
- The details of solid waste generated from the proposed plant and mode of disposal shall be as below.

Sr	Solid Waste Name/Type	Qty-Unit	Mode of Disposal
1	Coal Ash	420.0000 - M.T	OTH
2	CPU Sludge	18.0000 - M.T	OTH
3	DDGS	1200.0000 - M.T	OTH

**Consent For Establishment (CFEs)****Consent No. CTE-333237 Valid upto: 17/01/2032**

Karnataka State Pollution Control Board
 Parisara Bhavana, No.49, Church
 Street, Bengaluru-560001
 Tele : 080-25589112/3, 25581383
 Fax: 080-25586321
 email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**VI. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT)
 RULES 2016:**

1. The applicant shall apply and obtain authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016, and comply with the provisions of the said Rules.

VII. GENERAL:

1. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
2. The applicant shall not commission the proposed plant for trial or regular production unless necessary Water & air pollution control equipments are installed as specified in the Consent Order.
3. The applicant shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
4. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
5. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation to the Board.
6. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
7. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.
8. The applicant shall furnish pointwise compliance to the conditions given under this consent for establishment along with the application for Consent to operate.
9. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.
10. The applicant shall comply with all the Conditions and guidelines issued from time to time.
11. The applicant must create structure/facility for rain water harvesting and ground water recharge.
12. The applicant shall develop extensive green belt within the periphery of the plant.
13. This consent is issued without prejudice to Court Cases pending in any Hon'ble Court.

Please note that this is only consent for establishment issued to you to proceed with the formalities for establishment of the industry and does not give any right to proceed with trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 300000

Note:

The Conditions II(2) mentioned in the schedule are not applicable.

**Consent For Establishment (CFEs)****Consent No. CTE-333237 Valid upto: 17/01/2032**

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

Additional Conditions:

1. The occupier shall comply with all the Additional Conditions and Standards stipulated in Annexures-1, A & B attached with this consent order.
2. This consent order contains 11 pages including Additional Conditions and Annexures.
3. The products with quantities, water consumption, waste water generation, mode of disposal with standards, air pollution sources with control measures mentioned in Additional Conditions attached with this order shall be considered and to be complied by the industry.

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, Belgaum for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

ANNEXURE- II

Chim.N o.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	500 KVA DG Set	7	PM, SO ₂ , NO _x , CO, NMHC	-, -, -, -	DIE	AEC	Before Commissioning
2	Boiler	22 TPH Boiler	45	PM, SO ₂ , NO _x , CO, NMHC	115, -, -, -	COA	ESP, PRT	Before Commissioning

Note:

AEC : Acoustic Enclosures

ESP, PRT : E.S.P

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame or rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.



Consent For Establishment (CFEs)

Consent No. CTE-333237 Valid
upto: 17/01/2032


Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

Industry Colour: RED

Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

FOR AND ON BEHALF OF KARNATAKA
POLLUTION CONTROL BOARD



Signature Not Verified

Digitally signed by
Date: 2022.09.18 16:42:03
+05:30



Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001

Tele : 080-25589112/3,
25581383/388

Fax: 080-25586321

Email id: ho@kspcb.gov.in

Consent For Operation(CFO-Air,Water) - (CfO-Fresh)

**As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981**

To

**MSRT Industries Private Limited, Lakhanayakankoppa Village-591126,
Taluk Ramdurg, Belgavi District**

for the Facility located at,
**MSRT Industries Private Limited, Sy. No. 36/7 (read as 36/8), 134/1, 134/2, 134/3,
139/1, 139/2, 139/3, 139/4 & 139/5, Lakhanayakankoppa Village-591126, Taluk
Ramdurg, Belgavi District
Belgaum**

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-348124	132243	287268	RED/LARGE	19/03/2025

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity through: 19/03/2025 to 30/06/2029



Combined Consent Order No: AW-348124

PCB ID: 132243

GSC No : PB0XG0000277268

Date: 19/03/2025

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution) Act , 1981

Ref: 1. Application filed by the applicant/organization on 22/01/2025
2. Inspection of the Industry/organization/by RO, on 03/02/2025
3. Proceedings of the ECM dated 13/03/2025 , held on 12/03/2025

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: MSRT Industries Private Limited

Address: Sy. No. 36/7 (read as 36/8), 134/1, 134/2, 134/3, 139/1, 139/2, 139/3, 139/4 & 139/5,
Lakhanayakankoppa Village-591126, Taluk Ramdurg, Belgavi District

Industrial Area: Not In I.A, Lakhanayakankoppa,

Taluk: Ramdurga, District: Belgaum

CONDITIONS:**a) Discharge of effluents under the Water Act:**

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Boiler Feed	50.000	25.000	Refer Additional Conditions.
2	Cooling Water	382.000	28.000	Refer Additional Conditions.
3	Domestic Purpose	5.000	4.000	Refer Additional Conditions.
4	Manufacturing Processes	250.000	205.000	Refer Additional Conditions.
5	Others	5.000	5.000	Refer Additional Conditions.

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	Captive Power Plant	2.0000	Mega Watt
2	co2 (by product)	45.0000	TPD
3	ddgs (by product)	40.0000	TPD
4	Fuel Ethanol	60.0000	Kilo Litres/Day

Validity through : 19/03/202 to 30/06/2029
5

To,

MSRT Industries Private Limited

As above

COPY TO:

The Environmental Officer, KSPCB, Regional Office Belagavi for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 1500000

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.
4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C. MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundary Movement) Rules 2016.

G. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should be made easily approachable.
9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
10. The applicant his heirs, legal representatives or assignee shall have no claims whatsoever to the continuation or renewal of this consent after expiry of the validity of consent.
11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.
12. The applicant shall develop and maintain adequate green belt all around the periphery.
13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
16. The applicant shall display flow diagram of the pollution control system near the pollution control system/s

NOTE:

The Conditions A(2(a)) mentioned in the schedule are not applicable.

Additional Conditions:

1. The occupier shall comply with all the Additional Conditions and Standards stipulated in Annexure 1, A & B attached with this consent order.
2. This consent order contains 13 pages including Additional Conditions and Annexures.
3. The products with quantities, water consumption, wastewater generation, mode of disposal with standards, air pollution sources with control measures mentioned in Additional Conditions attached with this order shall be considered and to be complied by the industry.
4. The applicant shall comply with the terms and conditions of Environmental Clearance issued by MoEF &CC, New Delhi vide No. IA-J-11011/478/2021-IA-II(I) dated 18.01.2022 (EC Identification No: EC22A060KA115581)
5. The applicant shall comply with the terms and conditions of CFE issued by Board vide No. CTE-333237 PCB ID: 132243 dated: 13.09.2022.

Chimney No.	Chimney attached to	Capacity/KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	500 KVA DG Set	7	PM,SO ₂ ,NO _x ,CO, NMHC	-, -, -, -	DIE	AEC,PRT	At all times
2	Boiler	22 TPH Boiler with 2 MW TG	45	PM,SO ₂ ,NO _x ,CO, NMHC	115, -, -, -	COA	ESP,PRT	At all times

Note:

AEC,PRT : Accoustic Enclosures

ESP,PRT : E.S.P

Note:

- The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection) Rules.
- There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

- Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

- The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
- An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V, 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
- The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

Signature Not Verified
Digitally signed by
Date: 2025.03.19 15:19:05
+05:30

For and on behalf of the
Karnataka State Pollution Control Board

ANNEXURE -1
[PCB ID: 132243]


ADDITIONAL CONDITIONS TO ACCOMPANY CONSENT FOR OPERATION (CFO) ISSUED TO M/S MSRT INDUSTRIES PRIVATE LIMITED, SY NO. 36/7 (READ AS 36/8), 134/1, 134/2, 134/3, 139/1, 139/2, 139/3, 139/4 & 139/5, LAKHANAYAKANAKOPPA VILLAGE, RAMADURGA TALUK, BELAGAVI DISTRICT.

A	GENERAL															
1	This Consent for Operation (CFO) order is valid for the period up to 30.06.2029 from the date of issue.															
2	This Consent for Operation (CFO) is issued for grain based distillery Plant for the following products / by products / activities. <table><tr><td>Sl. No.</td><td>Name of the product / by-product</td><td>Production capacity</td></tr><tr><td>1</td><td>Fuel Ethanol</td><td>60 KLPD</td></tr><tr><td>2</td><td>Captive Power Plant</td><td>2 MW</td></tr><tr><td>3</td><td>DDGS (By-Product)</td><td>40 TPD</td></tr><tr><td>4</td><td>CO₂ (By-Product)</td><td>45 TPD</td></tr></table>	Sl. No.	Name of the product / by-product	Production capacity	1	Fuel Ethanol	60 KLPD	2	Captive Power Plant	2 MW	3	DDGS (By-Product)	40 TPD	4	CO ₂ (By-Product)	45 TPD
Sl. No.	Name of the product / by-product	Production capacity														
1	Fuel Ethanol	60 KLPD														
2	Captive Power Plant	2 MW														
3	DDGS (By-Product)	40 TPD														
4	CO ₂ (By-Product)	45 TPD														
3	The applicant shall comply with the terms and conditions of Environmental Clearance issued by MoEF &CC, New Delhi vide No. IA-J-11011/478/2021-IA-II(I) dated 18.01.2022 (EC Identification No: EC22A060KA115581)															
4	The applicant shall comply with the terms and conditions of CFE issued by Board vide No. CTE-333237 PCB ID: 132243 dated: 13.09.2022.															
5	The applicant shall strictly adhere to the time line committed vide their affidavit dated: 11.03.2025 and the compliance shall be reported to the Board. a. Installation of OCEMS to boiler stack and connecting to CPCB/SPCB server- 31.03.2025. b. Installation and commissioning of STP of 10 KLD - 30.04.2025. c. Installation and commissioning of CO₂ Plant - 31.07.2025. d. Solar power Plant- 200 KW – in phased manner within 31.03.2026. e. Insurance under PLI Act- 30.04.2025.															
7	The applicant shall obtain all other statutory permissions under all such Acts whichever is applicable. This consent will not prevent operation of other laws in force. Failing to comply with any such provision will attract penal action under such Acts. The project authorities shall be solely responsible for such violations. This consent should not be used to circumvent any other statutory provisions.															
B	WATER POLLUTION CONTROL															
1	The source of water is from Malaprabha River. The industry shall obtain permission from Karnataka Neeravari Nigam Limited, GoK for drawing River water. Total fresh water requirement shall not exceed 250 KLD (Industrial- 245 KLD & Domestic -5 KLD)															



2	The water consumption, wastewater generation, the mode of treatment and disposal shall be as follows:				
	Sl. no.	Description	Water consumption, KLD	Wastewater generation, KLD	Final treatment and disposal
	1	Domestic	5 (Fresh)	4	Sewage shall be treated in STP-10 KLD capacity to the standards stipulated in Annexure-A and the treated sewage shall be used for gardening within the premises.
	2	Boiler feed	50 (Fresh)	25	The lean effluent shall be treated in CPU of 300 KLD capacity and the treated effluent shall be reused back to process and utilities completely.
	3	Cooling water	40 (Fresh) 342 (Recycled)	28	
	4	Manufacturing process	150 (Fresh) 100 (Recycled)	205 (spent lees - 90 KLD & condensate -115 KLD)	
	5	Scrubber liquid	5 (Fresh)	5	
3	The thin slop from the process shall be passed through decanter, followed by concentration in MEE and drying in DWGS dryer to get DDGS which is sold to cattle feed units.				
4	The industry shall adopt Zero Liquid Discharge (ZLD) system for managing the distillery effluent. The treated wastewater shall be completely reused for process and utilities. There shall not be any disposal of treated /untreated effluent on land for irrigation / into nala / water bodies at any point of time.				
5	The applicant shall install and commission STP of 10 KLD as approved in the CFE within 30.04.2025. Till such time, the sewage shall be treated in CPU/disposed to septic tank and soak pits designed as per IS 2470 Part-I & II.				
6	The applicant shall construct all the treatment units in CPU/STP with adequate freeboard to avoid any overflow at any point of time.				
7	The applicant is liable to upgrade/ modify the CPU/STP if it fails to treat the effluent to the required standards for recycling.				
C	SOLID WASTE MANAGEMENT				
1	The industry shall dispose the solid waste as mentioned below:				
	Sl. No.	Particulars	Quantity generated in TPD	Mode of Disposal	
	1	Coal Ash	14	Shall be disposed to brick manufacturing units.	
	2	CPU sludge	0.6	Shall be used as manure	
2	The applicant shall provide silos for storage of coal ash and closed shed for CPU sludge. The ash shall be pneumatically transferred to the silos to avoid fugitive emissions.				
3	The applicant shall comply with the Fly ash notification 2021 and furnish the returns to the Board.				
D	AIR POLLUTION CONTROL				
1	The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in Annexure-B where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.				

2	The applicant shall provide closed shed for storage of fuel i.e., coal.
3	Stipulated air pollution control devices shall be installed to all the sources to meet the desired emission standards. The applicant is liable to replace / upgrade the Air Pollution Control System if it fails to achieve the standards stipulated by the Board.
4	The industry shall comply with the Board Office Addendum dated 12.06.2024 w.r.t. Retrofitting of Emission Control Devices (RECD) to the Diesel Generator Sets as follows: a. Use of certified RECD from approved manufacturers for in-use DG Sets of 61 KW to 800 KW (1000 KVA) capacity which are older than five years from date of manufacturing and up to its useful life (i.e., 15 years from the date of manufacturing or 50,000 hours of operation, whichever is earlier) or use of dual fuel system for in-use DG Sets of less than 800 KW capacity up to its useful life as mentioned above or shifting to gen-sets meeting emission norms as per GSR 804 E dated 3.11.2022. b. Adopt any suitable Air Pollution Control Device (APCD) strictly subject to compliance to emission standards notified vide GSR 489 E dated 09.07.2002 for DG Sets more than 800 KW.
E	HAZARDOUS WASTES (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) RULES 2016:
1	The applicant shall apply and obtain authorisation under the provisions of Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 for generation & disposal of hazardous wastes such as Used Oil (Cat-5.1) & Oil Contaminated Wastes (Cat-5.2) and shall comply with the conditions of the said authorisation.
2	The applicant shall earmark separate area for storage of hazardous and other wastes.
3	The applicant shall provide Information Board at the entrance of the industry clearly visible to the public as per Hon'ble Supreme Court Directions.
F	SELF MONITORING AND REPORTING
1	The applicant shall carryout environmental monitoring for the parameters indicated in the Annexures in the frequency as given below. a) Stack monitoring – Once in a month b) Treated sewage monitoring- Once in a month. c) Ambient Air Quality – As per NAAQ Standards d) Ambient Noise Monitoring– Once in 6 months. e) Ground water monitoring – Once in 3 months
2	The industry shall ensure continuous operation and data connectivity of Online Continuous Emission Monitoring System (OCEMS) for boiler stack for Particulate Matter parameter and shall be connected to CPCB and SPCB server as per CPCB directions. The specification/ sensor used in online continuous monitoring system shall be in accordance with CPCB specification. The applicant shall calibrate these systems from time to time according to equipment supplier specification through labs recognized under the Environment (Protection) Act, 1986 or NABL accredited laboratories.
3	The applicant shall install Online flow meters with data recording facility which should be transmitted online to CPCB and SPCB shall be installed at the whole stillage generation line and the whole stillage/thick syrup line connecting to the final storage tank before dryer and at the alcohol production line for assessment of concentrated spent wash generation ratio.
4	The applicant shall install IP Cameras with PAN, TILT Zoom, 5 X or above focal length with night vision capability at relevant locations as per CPCB guidelines and should be transmitted to CPCB & SPCB servers.



5	The industry should carry out the analysis of various prescribed effluent/soil/ ground water quality parameters from the MoEF & CC recognised/accredited laboratories.
G	GENERAL CONDITIONS:
1	The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. The storm water shall not be allowed to mix with the effluents. The applicant shall not discharge treated water/untreated water in to the water body/ natural drains at any point of time.
2	The noise levels measured at the boundary of the industry shall not exceed the prescribed limits of 75 dB (A) leq. During day time and 70 dB (A) leq during night time respectively.
3	The applicant shall carryout intensive plantation / green belt development as per the EC conditions.
4	The applicant shall install solar power plant to meet at least 10 % of the total power requirement through solar power as per EC condition.
5	The applicant shall implement scientific storm water management plan for the complete industrial premises. The industry shall harvest rain water from the roof top of the buildings and storm water drains to recharge the ground water and reuse the same for process/utilities / green belt development so as to conserve fresh water. The applicant shall construct a storage pond of 60 days capacity for collection and use of rainwater.
6	The industry shall comply with Plastic Waste Management Rules, 2016 (with up to date amendments), E- Waste Management Rules, 2016 (with up to date amendments), Bio-medical Waste Management Rules, 2016 (with up to date amendments) and Battery Waste Management Rules, 2022.
7	The industry shall submit half yearly compliance report to the Board on or before 30 th October for the period April- September and 30 th April for the period October - March.
8	The industry shall metal all the internal roads to avoid dust emissions.
9	The applicant shall submit Form-V as per Environment (Protection) Rules 1986 before 30 th September every year for the previous financial year.
10	The applicant shall obtain insurance under Public Liability Insurance Act 1991 and also pay equivalent premium to the Environment Relief Fund (ERF) as per the said Act.
11	The industry shall carry out awareness activities on environmental Protection among employees and community.
12	The applicant shall adopt the principles listed in the Mission Life – Lifestyle for Environment List of Actions enlisted on the URL, https://moef.gov.in/en/mission-life/list-of-actions/ , towards an environmentally conscious lifestyle and shall impart training to inmates on the same.
13	Non-compliances to the conditions stipulated, Board has the right to withdraw the consent.
14	The applicant shall submit compliance report to the conditions stipulated in this consent order within 30 days.
15	The applicant shall file application seeking renewal of Consent for Operation (CFO) along with requisite consent fees at least 120 days prior to the expiry of this consent order.


SENIOR ENVIRONMENTAL OFFICER
17 CATEGORY & E-GOV CELL


ANNEXURE-A

DISCHARGE STANDARDS FOR SEWAGE TREATMENT PLANT

Sl. No.	Characteristics	Standards
1	pH	6.5 to 8.5
2	BOD, mg/l (3 days at 27 ^o C)	< 10
3	TSS, mg/l	< 10
4	COD, mg/l	< 50
5	Ammonical Nitrogen, mg/l	< 5
6	Total Nitrogen, mg/l	< 10
7	Faecal coliform, MPN	<100/100 ml


SENIOR ENVIRONMENTAL OFFICER
17 CATEGORY & E-GOV CELL
8/19/3

ANNEXURE -B

DETAILS OF AIR POLLUTION SOURCES AND APC MEASURES

Chimney No.	Chimney attached to	Fuel used	Minimum chimney height to be provided	Constituent to be controlled in the emission	Tolerance limits mg/Nm ³	Air pollution control equipment to be installed, in addition to chimney height
1	22 TPH Boiler	Coal	45 m AGL	PM SO ₂ NO _x	115 600 @ 6% dry O ₂ 300 @ 6% dry O ₂	ESP
2	DG Set 500 KVA	HSD	7 m ARL	SO ₂	-	Acoustic Enclosure

Note:

1. The Air Pollution Control measures as above shall be provided before commissioning the Plant for trial / regular production.
2. AGL- Above Ground Level, ARL- Above Roof Level, PM- Particulate Matter, SO₂ - Sulfur Di-oxide,
3. The emission standards for Boiler are stipulated as per EC conditions.


SENIOR ENVIRONMENTAL OFFICER
17 CATEGORY & E-GOV CELL



Parrikar's son to quit BJP, contest Goa elections as independent

Rejecting the BJP's efforts to arrive at a compromise, for chief minister late Manohar Parrikar's son Utpal Parrikar on Friday that he would resign from the saffron party and contest as an Independent candidate for the February 14 polls in the Panaji assembly constituency, which was formerly represented by his father. Utpal Parrikar also said that his candidature was rejected by the party during the 2019 Panaji bypolls. He stated that after his father's death - despite support from his constituents, adding that the BJP no longer looks like the party which his father was a part. "People of Panaji did not vote Manohar Parrikar just because he was an MP. They voted him because he stood for some values. The time has come to also stand for those values," Utpal Parrikar said. IANS

TAMIL NADU GENERATION AND DISTRIBUTION CORPORATION LTD Notice Inviting Tenders (E-Tendering Process)		
Tender Inviting Authority	Specification No.	Total
SE/C/PC	21 - 25	5
CE/NCTPS-2	39	1
TAMIL NADU TRANSMISSION CORPORATION LTD		
CE/Tr. Pr-I	034	1
CE/OTRY	08, 09	2
CE/C/Transmission	T-45	1

A.P. TOWNSHIP & INFRASTRUCTURE DEVELOPMENT CORPORATION LIMITED

4th Floor, Bus Bhavan, Vijayawada, Andhra Pradesh
REQUEST FOR PROPOSAL NOTIFICATION DT: 20.01.2022
Proposals invited for providing of STP's 2 (Two) packages in Ananthapuram & Kadapa Districts vide Tender Notice No. 05/CTO-I/APTIDCO/2020-21 Dt. 2022 on E-Procurement Platform <http://tender.aeprocurement.gov.in> if any particulars please contact Concern CTO-I during office working hours
Sd/- Managing Director, APTIDCO, Vijayawada.
636PPIC/ADVT/11/1/2021-22 Dt.21.01.2022

ಸರ್ಕಾರಿ ಸರ್ಕಾರ ಪಂಚಾಯತ್ ರಾಜ್ ಇಂಜಿನಿಯರಿಂಗ್ ವಿಭಾಗ, ಯಶಾಲಕ ಇಂಜಿನಿಯರವರ ಕಛೇರಿ, ದಾವಣಗೆರೆ.

ಇಂಜಿನಿಯರಿಂಗ್/ಎ/ಎಂ/ಕೆ.ಇಂ/ಟೆಂಡರ್/2021-22/2177 ದಿ:-20.01.2022
ದರ ಪ್ರಕಟಣೆ (ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ)

ಇಂಜಿನಿಯರಿಂಗ್ ವಿಭಾಗದ ಕಛೇರಿ, ದಾವಣಗೆರೆ ಜಿಲ್ಲೆ, ಶಾಸಕರ ಸ್ಥಳೀಯ ಪ್ರದೇಶಾಭಿವೃದ್ಧಿ ಮತ್ತು ಅಭಿವೃದ್ಧಿ ಮತ್ತು ಜನಜನತೆ ತಾಲ್ಲೂಕಿನ ಕಾಮಗಾರಿಗಳ ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆಯಲ್ಲಿ ನೋಂದಾಯಿತ ಆರ್ಥಿಕ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್‌ನಲ್ಲಿ ನೋಂದಾಯಿಸಲ್ಪಟ್ಟ ಗುತ್ತಿಗೆದಾರರಿಂದ ಇಲಾಖಾ ಮೂಲಕ ಮೇಲೆ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮುಖಾಂತರ ಐಟಂವಾರು ಟೆಂಡರ್ ಪ್ರಕಟಣೆ, ಸಮೂಹದಂತೆ ಆಹ್ವಾನಿಸಲಾಗಿದೆ. ಟೆಂಡರ್ ಪ್ರಕಟಣೆ

APTRANSCO: :VIJAYAWADA
e-procurement TENDER NOTICE

The APTRANSCO invites bids online for Spec No.PMM31-e-02/2022.
Nature of Work: Procurement of 31 Nos 33kV Capacitor Bank C& R Panels and 16 Nos 33kV Twin Feeder C&R Panels for RMI and O&M works, **Date & Time of availability of Tenders:** 21.01.2022 at 05:00 PM. Web: <http://aeprocurement.gov.in>.
DIPR No.640PP/CL/ADVT/11/1/2021-22 Dt.21.01.2022
Sd/- Chief Engineer (FAC), Transmission

INDIAN RAILWAY CATERING AND TOURISM CORPORATION LTD.
(A Government of India Enterprise - Mini Rata)
CIN-L74899CL1999GO1101797

IRCTC invites E-Bids for:
Deployment of Food Safety Supervisors (FSS) and Lab Testing of Cooked Food and Raw Material, etc. for a period of Two years, at 50 kitchen units of IRCTC. Last Date & Time of submission of Bid: **Up to 21.02.2022 till 1500 Hrs. Pre-bid: 04.02.2022 at 12.00 hrs (Mode-VC)**
Customer Satisfaction Survey in Mobile & Static Units of IRCTC. Last Date & Time of submission of Bid: **Up to 11.02.2022 till 1500 Hrs. Prebid: 28.01.2022 at 12.00 hrs (Mode-VC)**
Lab Testing of IRCTC approved RTE & PAD food items for a period of Two years across India. Last Date & Time of submission of Bid: **Up to 02.02.2022 till 1500 Hrs.**
For more details visit IRCTC website: www.irctc.com or www.tenderwizard.com/IRCTC. Tender Document downloading & participation can be done on website: www.tenderwizard.com/IRCTC.
In case of any further corrigendum/addendum issued on the above advertisement, it will be published only on IRCTC's website www.irctc.com & www.tenderwizard.com/IRCTC
Office Address:- Group General Manager/Tourism, 11th Floor, Statesman House, B-148, Barakhamba Road, Connaught Place, New Delhi-110 001, E-mail: qualityco@irctc.com, Tel.011-23311263/64, Fax: 011-23311259

KARNATAKA STATE MEDICAL SUPPLIES CORPORATION LIMITED
PHI Building, Opp. To SJP Polytechnic, K.R. Circle, Sheshadri Road, Bangalore-560001. Phone: +91-80-29619801
E-mail: latha.mdkmscl@gmail.com
No: KMSMCL/Insurance/01/2020-21 Date: 21.01.2022

TENDER NOTIFICATION
Ref: 1. Tender Notification No. KMSMCL/Insurance/01/2020-21 Dated: 21.01.2022
Nationwide Tender is invited through e-Tendering system under KTPP Act 1999 and Rules 2000 for the following tender:
1. Short Term Tender for Providing Insurance to KMSMCL Head office and District Warehouses for the year 2022-23.
The Insurers who have registered under Insurance Regulation Development Authority of India (IRDA) may participate through e-tendering system.
Details regarding EMD, Terms and Conditions and other information are available in the Tender Document, which can be downloaded from the website <https://eproc.karnataka.gov.in> from 22.01.2022 the eligible tenders shall submit their e-tenders under e-procurement platform for above mentioned tenders

F. No.10-7/2021-TS-VII
Government of India
Ministry of Education
Department of Higher Education.

RECRUITMENT FOR THE POST OF DIRECTOR

Applications on the prescribed format are invited from Indian Nationals for the post of Director, Sant Longowal Institute of Engineering and Technology (SLIET), Longowal in the scale pay Rs. 2,10,000/-p.m. (Fixed) plus Rs. 11,250/- (special pay) and other allowances as admissible under the rules of the said Institute. The applications should be sent by registered/speed post to Under Secretary (TS-VIIA), Department of Higher Education, Ministry of Education, Gol, Room No.535, C-Wing, Shastri Bhawan, New Delhi - 110001 so as to reach within 45 days from the date of publication of the advertisement in the Employment News. The soft copy of the application may also be mailed to ts7.edu@nic.in.
For details please visit MoE / Institute website www.education.gov.in / www.sliet.ac.in
Under Secretary, Gol, MoE, TS-VII

TNPL TAMILNADU NEWSPRINT AND PAPERS LIMITED
Kagithapuram - 639 136. KARUR Dist. Tamil Nadu
Ph. : 04324 - 277001 (10 Lines). E-mail : purchase.fuel@tnpl.co.in

NOTICE INVITING TENDER

Tender No.	Material Description	Due Date
212213 004790	Steaming (Non-Coking) Coal in Bulk (Imported) with 5000 GAR	05.02.2022

Corrigendum if any will be issued in TNPL Website only.
Terms & conditions, Quantity, Tender fee, EMD are available in tender document at our websites: www.tnpl.com / www.tenders.tn.gov.in
DIPR/474/Tender/2022 TNPL - Maker of bagasse based eco-friendly Paper
"சேதான கட்டு கதந்திரம் அடைந்தோம், சாதனை புரிந்து எதிர்க்கும் படைப்போம்."

BRANCH : NIPPANI
(See Rule 8(1))
POSSESSION NOTICE
For Immovable Property

Whereas, the undersigned being the Authorized Officer of Bank of Baroda under the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest (Second) Act 2002 and in exercise of powers conferred under Section 13(12) read with Rule 3 of the Security Interest (Enforcement) Rules, 2002 issued a Demand Notice Dated 09-07-2021 calling upon the Borrower: **Shri / M/s. Kothary Dairy Farm, Prop. Shreyas Atul Kothari** to repay the amount mentioned in the notice being **Rs.5,30,680/-** (Rupees Five Lakh Thirty Thousand Six Hundred Eighty only) within 60 days from the date of receipt of the said notice.
The Borrower having failed to repay the amount, Notice is hereby given to the Borrower & the Public in General that the undersigned has taken Possession of the property described herein below in exercise of powers conferred on him/her under sub section (4) of Section 13 of the said Act read with Rule 8 of the Security Interest (Enforcement) Rules 2002 on this 17th Day of January of the year 2022.
The Borrower in particular and the Public in General is hereby cautioned not to deal with the property and any dealings with the property will be subject to the charge of Bank of Baroda for an amount of **Rs.5,30,680/-** (Rupees Five Lakh Thirty Thousand Six Hundred Eighty only)

PUBLIC NOTICE
MSRT INDUSTRIES PRIVATE LIMITED
This is to inform that, Ministry of Environment, Forest and Climate Change (MOEFCC) has granted Environmental clearance to MSRT INDUSTRIES PRIVATE LIMITED for 60 KLPD Grain based Distillery/ Ethanol Plant Project (for fuel ethanol) located at Lakhanayankoppa Village, Taluka Ramdurg, District Belagavi, Karnataka on dated 18.01.2022. EC Identification No. is EC22A060KA115581 and File No. IA-J-11011/478/2021-IA-II(I). Environmental clearance letter copy is available with the SPCB and at website of the Ministry and at <https://parivesh.nic.in>
Sd/- MSRT INDUSTRIES PRIVATE LIMITED

SBI STATE BANK OF INDIA
Branch : Prabhath Cross Road (40560)
Mahale Complex, Prabhath Cross Road, N.H.17, Honnavar

POSSESSION NOTICE
Under Rule 8(1) (For immovable property)

Whereas, the undersigned being the Authorized Officer of the State Bank of India under the Securitization and Reconstruction of Financial Assets and Enforcement of Security Interest Act 2002 (No.3 of 2002) and in exercise of powers conferred under Section 13(12) read with Rule 9 of the Security Interest (Enforcement) Rules 2002, issued a demand notice dated 24-08-2021 calling upon the Borrowers : **Shri Mohammad Aslam Abu Mohammad Bapusab, Tonka II Area, Kasarkod - 581342, Tq : Honnavar. Legal Heirs : (1) Smt. Khairunnisa Abumohammad Bapusab, Tonka II Area, Kasarkod - 581342, Tq : Honnavar (2) Shri Abdul Salam Abumohammad Bapusab, Tonka II Area, Kasarkod - 581342, Tq : Honnavar (3) Smt. Fairiza Neiji Abdul Kareem, #8-115, Shirur, Kalihithlu, Shirur, District : Udupi - 576228 (4) Smt. Bismilla Begum Abdul Rehman Musi, Tonka II Area, Kasarkod - 581342, Tq : Honnavar to repay the amount mentioned in the notice being Rs.17,25,221/- (Rupees Seventeen Lakh Twenty Five Thousand Two Hundred & Twenty One Only) as on 24-08-2021 plus interest and other incidental expenses thereon within 60 days of receipt of the said notice.**

The borrowers / mortgagors having failed to repay the amount, notice is hereby given to the borrowers / mortgagors and the public in general that the undersigned has taken possession of the property described herein below in exercise of powers conferred on him under Sub Section (4) of Section 13 of the said Act read with Rule 9 of the said rules on this 18-01-2022.

The borrowers / mortgagors in particular and the public in general are hereby cautioned not to deal with the property and any dealings with the property will be subject to the charge of the State Bank of India, Prabhath Cross Road, Honnavar Branch (40560) for an amount of Rs.17,25,221/- (Rupees Seventeen Lakh Twenty Five Thousand Two Hundred & Twenty One Only) as on 24-08-2021 plus interest, costs, etc. thereon.

The borrower's attention is invited to provisions of sub-section (8) of section 13 of the Act, in respect of time available, to redeem the secured assets.

DESCRIPTION OF THE IMMOVABLE PROPERTY
Property owned by : **Shri Abu Mohammad Bapusab (Deceased)**
Property bearing Sy.No.9999, Plot No.113 (Property No.152700400600100555 & House No.496 as per GP Form 9 & 11) situated at Tonka II Area, Kasarkod, Tq.Honnnavar, District: Uttara Kannada measuring 505 sq.mtrs., with built up area of 101 sq. mtrs., and bounded by East : Property of Hagar Bapu, West : Property of Jaleka Kuntakar, North : Property of

PUBLIC NOTICE

I have issued this public notice on behalf of my client Shri. Ravindrakumar Vishwanath Yalamali for the following reasons.

My client wants to purchase the schedule property from the owner the property Mr. Mahesh Krishna. Further the owner of the property claims that, the Original Registered Sale Deed bearing Reg. No. 9815/2007-08, dated 06-03-2008 executed by Shri. Irappa Marappa Soundalagekar and others in favour of Mr. Mahesh Krishna Soundalagekar Smt. Rina Amit Soundalagekar respect to the schedule property was not with him as the property was misplaced somewhere. Even though he is diligently searched for the same, he could not find it. Hence, my client wants to be sure as to whether any person, financial institution or the Government is having any charge, objections or litigation with respect to the schedule property.

Anybody having any objection / encumbrances of whatsoever nature upon the schedule property is requested to intimate the under signed in writing by Registered Post within 7 days from the date of publication of this Notice, failing which it would be presumed that the above mentioned property is free from encumbrances / claims and thereafter no objection / claims would be binding.

SCHEDULE PROPERTY

Piece and Parcel of Property Plot No. 31, corresponding to Plot No. 3649 Part, [Previous No. 3671], admeasuring 170.36 Sq.ft [170.36 Sq. meters], A.L.A. land bearing R. S. No. 92/2, Situated at Nagar, Angol, Belagavi and bounded by To the East : Plot No. 30, To the West : Plot No. 3670, To the South : C.T.S. No. 3672, To the North : 10 feet wide Road and To the South : R. S. No. 108 & 109.

Sd/-

SANTOSH S. PATIL
Advocate
No. 81, C.T.S. No. 5284,
Nagar, Belagavi-590010.
9986436705, 8277539575

ಭಾನುಪ್ರಭ

ಗೌರವಜನಿತ ಪ್ರಕಟಣೆ

ಎಮ್.ಎಸ್.ಆರ್.ಜಿ. ಇಂಡಸ್ಟ್ರೀಸ್ ಪ್ರೈವೇಟ್ ಲಿಮಿಟೆಡ್

ಈ ಮೂಲಕ ತಿಳಿಯಪಡಿಸುವುದೇನೆಂದರೆ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಬೆಳಗಾವಿ ಜಿಲ್ಲೆ, ರಾಮದುರ್ಗ ತಾಲೂಕು, ಲಕ್ಷ್ಮೀನಾಯಕನಕೋಪ್ತ ಗ್ರಾಮದಲ್ಲಿ ಎಮ್.ಎಸ್.ಆರ್.ಜಿ. ಇಂಡಸ್ಟ್ರೀಸ್ ಪ್ರೈವೇಟ್ ಲಿಮಿಟೆಡ್‌ನ 60 ಕೆಎಲ್‌ಪಿಡಿ ಧಾನ್ಯ ಆಧಾರಿತ ಡಿಸ್ಟ್ರಿಬ್ಯೂಷನ್/ಎಥನಾಲ್ ಫ್ಯಾಟಿಕ್ ಯೋಜನೆಗೆ (ಎಥನಾಲ್ ಇಂಧನ) ದಿನಾಂಕ 18.01.2022 ರ ಇಸಿ ಐಡೆಂಟಿಫಿಕೇಷನ್ ನಂ. EC22A060KA115581 ಮತ್ತು ಪೈಲ್ ನಂ. IA-J-11011/478/2021-IA-II(I). ಮೂಲಕ ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯವು ಪರಿಸರ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ನೀಡಿದ್ದು, ಪರಿಸರ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರದ ಪ್ರತಿಗಳು ಎಸ್‌ಪಿಸಿಬಿ ಮತ್ತು ಸಚಿವಾಲಯದ ಬೆಬ್‌ಸೈಟ್ <https://parivesh.nic.in> ನಲ್ಲಿ ಲಭ್ಯವಿದೆ. ಸಹಿ/ ಎಮ್.ಎಸ್.ಆರ್.ಜಿ. ಇಂಡಸ್ಟ್ರೀಸ್ ಪ್ರೈವೇಟ್ ಲಿಮಿಟೆಡ್

ಅಸಲ ದಾವಾ ನಂ.115/2012

ಮೆ: ಪ್ರದಾನ ದಿವಾಣಿ ನ್ಯಾಯಾಧೀಶರು

ಕಿರಿಯ ವಿಭಾಗ ಸವದತ್ತಿ ಇವರ

ನ್ಯಾಯಾಲಯ ಸಾಕೀನ-ಸವದತ್ತಿ

ವಾದಿ: 1. ಶ್ರೀ ದುಂಡಯ್ಯ ಪತ್ರಯ್ಯ ಹಿರೇಮಠ, ಸಾಕೀನ-ಚಚಡಿ, ತಾ-ಸವದತ್ತಿ.

ವಿರುದ್ಧ

ಪ್ರತಿವಾದಿಯರು: 1. ಶ್ರೀ ಫಕ್ಕೀರಪ್ಪ ಸಂಗಪ್ಪ ನಾವಲಗಿ, ಸಾಕೀನ-ಚಚಡಿ, ತಾ-ಸವದತ್ತಿ, ಮೈತನ ವಾರಸುದಾರರು ಹಾಗೂ ಇತರರೂ

ಜಾಹೀರ ನೋಟಿಸು

ದಿವಾಣಿ ಪ್ರಕ್ರಿಯಾ ಸಂಹಿತೆ ಆದೇಶ 5 ನಿಯಮ 20ರ ಅಡಿ ನೋಟಿಸು

ಪ್ರತಿವಾದಿ ನಂ.2 (ಬಿ)-ಶ್ರೀ ಮಾಹಾಂತೇಶ ತಂದೆ ವಿರುದ್ಧ ನಾವಲಗಿ, ವಯಸ್ಸು-40 ವರ್ಷ, ಉದ್ಯೋಗ-ಕೆ.ಎಸ್.ಆರ್.ಟಿ.ಸಿ ಚಾಲಕ, ಸಾಕೀನ-ಚಚಡಿ, ತಾ-ಖಾನಾಪುರ, ಜಿಲ್ಲಾ ಬೆಳಗಾವಿ, ಪ್ರತಿವಾದಿ ನಂ.2 (ಸಿ)-ಶ್ರೀ ಶಿವಪುತ್ರಪ್ಪ ವಿರುದ್ಧ ನಾವಲಗಿ, ವಯಸ್ಸು-36 ವರ್ಷ, ಉದ್ಯೋಗ-ನೌಕರಿ, ಸಾಕೀನ-ಎಮ್.ಇ.ಜಿ. ಸೆಂಟರ್ ಅಲಸೂರ ಕೇರಿ, ಬೆಂಗಳೂರು, ತಾ-ಜಿಲ್ಲಾ-ಬೆಂಗಳೂರು.

ಸದರಿ ದಾವೆಯನ್ನು ವಾದಿ ಪ್ರತಿವಾದಿಯರ ವಿರುದ್ಧ ನಿರ್ದಿಷ್ಟ ಕಾರು ನಿರ್ವಹಣೆಗಾಗಿ ದಾಖಲಿಸಿದ್ದು, ಮಾನ್ಯ ನ್ಯಾಯಾಲಯ ಪ್ರತಿವಾದಿ ನಂ.2 (ಬಿ) ಮತ್ತು (ಸಿ) ಆದ ನಿಮಗೆ ಹಲವಾರು ಬಾರಿ ಸಮನ್ ಜಾರಿ ಮಾಡಿದರೂ ಸದರಿ ಸಮನ್ ಜಾರಿಯಾಗಿರುವುದಿಲ್ಲ. ಆದ್ದರಿಂದ ಸದರಿ ಜಾಹೀರ ನೋಟೀಸು ಕೊಡಲಾಗುತ್ತಿದ್ದು ಸದರಿ ದಾವೆಯು ದಿನಾಂಕ 15.02.2022 ರಂದು ಮುಂಜಾನೆ 10-30 ಘಂಟೆಗೆ ಸುನಾವಣೆ ಇದ್ದು ನೀವು ಸ್ವತಃ ಅಥವಾ ನಿಮ್ಮ ವಕೀಲರ ಮುಖಾಂತರ ದಾಖಲೆಗಳೊಂದಿಗೆ ಸದರಿ ನ್ಯಾಯಾಲಯದಲ್ಲಿ ಹಾಜರಾಗಿ ತಕರಾರುಗಳು/ಹೇಳಿಕೆಗಳು ಇದ್ದಲ್ಲಿ ಸಲ್ಲಿಸಬಹುದು. ಸದರ ದಿನಾಂಕದಂದು ತಾವು ಹಾಜರಾಗದಿದ್ದಲ್ಲಿ ತಮ್ಮ ವಿರುದ್ಧ ಎಕರ್ತರ್ಷಿ ಆದೇಶ ಮಾಡಲಾಗುವುದು ಮತ್ತು ದಾಖಲೆಗಳ ಆಧಾರದಿಂದ ಗುಣಾವಗುಣಗಳ ಮೇಲಿಂದ ವ್ಯಾಜ್ಯವನ್ನು ತೀರ್ಮಾನಿಸಲಾಗುವುದು.

ದಿನಾಂಕ: 19.01.2022 ರಂದು ನ್ಯಾಯಾಲಯದ ಮೊಹರು ಹಾಗೂ ಸಹಿಯೊಂದಿಗೆ ನೀಡಲಾಯಿತು.

// ನ್ಯಾಯಾಲಯದ ಆದೇಶದ ಮೇರೆಗೆ //

ಸಹಿ/- ಶಿರಸ್ತೆದಾರರು,
ಸ್ಥಳ: ಸವದತ್ತಿ ದಿವಾಣಿ ನ್ಯಾಯಾಲಯ ಕೆ.ವಿ. ಸವದತ್ತಿ
ದಿನಾಂಕ: 19.01.2022

ಸಹಿ/- (ಶ್ರೀ ಜಿ. ಎಸ್. ಪಟ್ಟನಶೆಟ್ಟಿ)
ವಾದಿ ಪರ ವಕೀಲರು



ಕನ್ನಡಪ್ರಭ

CITATION

Original Suit No. 8/2020
IN THE COURT OF HON'BLE Vth
ADDL CIVIL JUDGE AND J.M.F.C.
COURT BELAGAVI AT: BELAGAVI
Between:

1) Bank of Baroda

... Plaintiff

And.

1) Shri. Nilakantayya Chandrayya Mathapathi and another.

... Defendants

To,

1) Shri. Nilakantayya Chandrayya Mathapathi, Proprietor of M/s. Revan Engineering Works, R/o.: Plot No.99/100, Near KTN Metals, Udyambag, Belagavi.

2) Shri. Shivanand Kuberappa Hadimani, R/o.: H.No.3419, Kalmeshwar Nagar, Bauxite Road, Belagavi.

... Defendants

SUMMONS U/O V RULE 20, (1A) OF C.P.C.

Whereas, the above named plaintiff has instituted the said suit against you the defendants, you are hereby summoned to appear in this court in person or through authorized agent on the **22nd day of February-2022 at 11:00 AM** to answer the claim. Take notice that, in default of your appearance on the day mentioned, the case will be heard and determined in your absence.

Given under my hand and seal of this Court on 18th day of January-2022.

By order of the Court

Sd/-
Bench clerk
Shirastedar
Civil Judge & J.M.F.C.
Court Belgaum

Sd/- S. S. Patil
Advocate for Plaintiff

CHANGE OF NAME

I, have changed my name from **ANNAPRIYA NAZARENE GONSALVES**

(Old name) to

ANNAPRIYA ANTHONY DCOSTA (new name)

vide affidavit sworn to before VIJAY

MAHINDRAKAR Advocate

& Notary Belagavi

dated: 19/01/2022

P & SC No. 38/2021

IN THE COURT OF THE IV
ADDL. DISTRICT JUDGE,
BELAGAVI, AT: BELAGAVI
BETWEEN:

1. Shri. Kallu S/o. Shamu Narute

.... PETITIONER

AND:

1. Smt. Kamala W/o. Mahadev Vadeyar

.... RESPONDENT

CITATION

Whereas, the Petitioner has filed the petition before this Hon'ble Court for granting Probate in her favour pertaining to "WILL" dated: 28-07-2020 which is registered on 29-07-2020 before the Senior Sub-Registrar. Athani in respect of the properties bearing (1) R.S. No. 56/7, (2) R.S. No. 57/7, (3) R.S. No. 54/2, (4) R.S. No. 53/2, all situated at Masarguppi Village, Ta: Athani, Dist: Belagavi, in favour of the Petitioner. Hence, if any person/s is/are having any manner of right, title and interest in the same, he/she/they shall appear before the Hon'ble Court in persons or through his/her/their pleader with all the relevant documents on 21/02/2022 at about 11 a.m. Failing which the necessary order will be passed, which please make note.

Given under the hand and seal of the Hon'ble Court on the 21 day of January, 2022.

By the Order of the Court

Sd/-

Chief Administrative Officer Hon'ble
Pri. District Judge, Belagavi
Sd/-Bench Clerk
Sd/-(G.V. Hosmath)
Advocate for Petitioner

ಭಾನುಪ್ರಭ



Scanned with OKEN Scanner

Scanned with OKEN Scanner